

TECHSPEC® 12mm Focal Length, HP Series Fixed Focal Length Lens

#86-570



12mm Focal Length, #86-570

TECHSPEC® HP Series Fixed Focal Length Lenses are designed for the harsh demands of [factory automation \(FA\)](#) and machine vision (MV) applications. The 8mm, 12mm, 16mm, 25mm, and 35mm lenses are compatible with 1" and 1.1" sensor formats, while the 50mm lens is compatible with up to 4/3" sensor formats. The f/1.8 and f/2.8 apertures provide increased light throughput and high resolution performance. TECHSPEC® HP Series Fixed Focal Length Lenses are C-Mount and feature a locking focus and iris rings to prevent unwanted adjustments, as well as a front filter thread for integrating standard optical filters. Call for OEM Quantity Pricing.


Outer Diameter (mm):	48
Front Thread:	M48 x 0.5 (Male)
Type:	Fixed Focal Length Lens
Coating:	$\lambda/4$ MgF ₂
Maximum Length (mm):	70.1
Imaging Lens Type:	High Performance Lens
Storage Temperature (°C):	-20 to +60 For questions regarding operating temperature please contact our support team

Optical


Horizontal Field of View, 1/2" Sensor:	65.6mm - 28.9°
Horizontal Field of View, 2/3" Sensor:	90.2mm - 39.0°
Horizontal Field of View, 1/3" Sensor:	49.2mm - 21.9°
Horizontal Field of View, 1" Sensor:	131.2mm - 54.5°
Maximum Image Circle (mm):	17.60
Numerical Aperture NA, Object Side:	0.0268
Horizontal Field of View @ Max Sensor Format:	131.2mm - 54.5°
Horizontal Field of View, 1.1" Sensor:	145.6mm - 59.5°
Horizontal Field of View, 1/1.8" Sensor:	73.8mm - 32.3°
Horizontal Field of View, 1/2.5" Sensor:	59.5mm - 26.3°
Focal Length FL (mm):	12.00
Primary Magnification PMAG:	0.099
Maximum Sensor Format:	1.1"
Working Distance (mm):	100 - ∞
Aperture (f/#):	f/1.8 - f/16
Distortion (%):	<6.56
Coating Specification:	λ/4 MgF ₂
Entrance Pupil Position (mm):	30.15
Horizontal Field of View, 1/4" Sensor:	36.9mm - 16.5°
Object Space Principal Plane (mm):	39.67
Image Space Principal Plane (mm):	2.42
Field of View at Max Sensor Format:	Horizontal: 150.1mm - 62.8° Vertical: 110.2mm - 48.7° Diagonal: 192.7mm - 75.2°
Maximum Distortion (%):	-3.79
Exit Pupil Position (mm):	-36.99
Lens Wavelength Range:	VIS

Mechanical


Iris Option:	Variable
Length (mm):	74.08
Filter Thread:	M62 x 0.75 with adapter #34-236
Maximum Diameter (mm):	48
Weight (g):	261
Maximum Rear Protrusion (mm):	0.98
Number of Elements (Groups):	10 (9)
Mount:	C-Mount




#86-570, 12mm Focal Length, HP Series Fixed Focal Length Lens, Distortion Plot




#86-570, 12mm Focal Length, HP Series Fixed Focal Length Lens, Relative Illumination Plot




#86-570, 12mm Focal Length, HP Series Fixed Focal Length Lens, Working Distance versus Field of View Plot




#86-570, 12mm Focal Length, HP Series Fixed Focal Length Lens, Modulated Transfer Function (MTF) Plot, 200mm Working Distance, f2.8




#86-570, 12mm Focal Length, HP Series Fixed Focal Length Lens, Depth of Field Plot, 200mm Working Distance, f2.8




#86-570, 12mm Focal Length, HP Series Fixed Focal Length Lens, Modulated Transfer Function (MTF) Plot, 200mm Working Distance, f4




#86-570, 12mm Focal Length, HP Series Fixed Focal Length Lens, Depth of Field Plot, 200mm Working Distance, f4



#86-570, 12mm Focal Length, HP Series Fixed Focal Length Lens, Modulated Transfer Function (MTF) Plot, 350mm Working Distance, f2.8



#86-570, 12mm Focal Length, HP Series Fixed Focal Length Lens, Depth of Field Plot, 350mm Working Distance, f2.8




#86-570, 12mm Focal Length, HP Series Fixed Focal Length Lens, Modulated Transfer Function (MTF) Plot, 350mm Working Distance, f4



#86-570, 12mm Focal Length, HP Series Fixed Focal Length Lens, Depth of Field Plot, 350mm Working Distance, f4

**FOR INFORMATION ONLY:
DO NOT MANUFACTURE
PARTS TO THIS DRAWING**

SPECIFICATIONS SUBJECT TO CHANGE
WITHOUT NOTICE
DIMENSIONS ARE FOR REFERENCE ONLY



NOTES:

1. ALSO INCLUDES RECESSED SCREW OPTION
2. LENS MAY MOVE MORE THAN INDICATED UNTIL IT REACHES BUILT-IN STOPS
3. LENS SHOWN IN THE INFINITE WD POSITION

EO® Edmund Optics®

THIRD ANGLE PROJECTION		TITLE	12mm HP Series Lens, 1.1"	
ALL DIMS IN	mm	DWG NO	86570	SHEET 1 OF 1



June 09, 2023

To Whom It May Concern,

This document certifies that the product stated below has been reviewed as requested by Edmund Optics:

<i>Stock No.</i>	<i>Description</i>
86-570	12mm Focal Length, HP Series Fixed Focal Length Lens

This item is EU RoHS (2015/863/EU) compliant without the use of exemptions.

This certification means that:

- EO's suppliers have confirmed the material composition of this product.
- EO has implemented rigorous procedures to document this compliance.
- The information provided may, or may not, be based upon actual test data, or on information from our Vendors, Raw Material Suppliers or Subcontractors.

A handwritten signature in cursive script, appearing to read 'J. Budd'.

Jay Budd, Director of Corporate Compliance

June 09, 2023

Edmund Optics Inc. - 101 E Gloucester Pike, Barrington, NJ 08007 | 1-800-363-1992 | Compliance@edmundoptics.com



June 09, 2023

To Whom It May Concern,

This document certifies that the product stated below has been reviewed as requested by Edmund Optics:

<i>Stock No.</i>	<i>Description</i>
86-570	12mm Focal Length, HP Series Fixed Focal Length Lens

This item does not contain any of the substances listed on the Reach SVHC list as of 25 June 2020 in quantities exceeding 0.1% weight by weight.

Please note the following:

- Entry 11 of Annex V of the REACH regulation as amended by regulation 987/2008, exempts “non-hazardous” glass components from registration.
- Items considered to be packing materials and which do not form part of, or are not required for the operation of, the product, are not considered to be within scope of this declaration.
- EO does not routinely analyze products for substances not purposely added or specified within the design specifications, drawings and assembly procedures.

This certification means that:

- EO's suppliers have confirmed the material composition of this product.
- EO has implemented rigorous procedures to document this compliance.
- The information provided may, or may not, be based upon actual test data, or on information from our Vendors, Raw Material Suppliers or Subcontractors.

A handwritten signature in cursive script that reads 'Jay Budd'.

Jay Budd, Director of Corporate Compliance

June 09, 2023

Edmund Optics Inc. - 101 E Gloucester Pike, Barrington, NJ 08007 | 1-800-363-1992 | Compliance@edmundoptics.com



June 09, 2023

<i>Stock No.</i>	<i>Description</i>
86-570	12mm Focal Length, HP Series Fixed Focal Length Lens

Edmund Optics certifies that all articles included in this shipment are in compliance with the terms and conditions of this order. The company also certifies that the articles included in this shipment are in accordance to all agreed upon specifications and quality assurance provisions. Please call 1-800-363-1992 should any questions arise from this shipment.

A handwritten signature in black ink, appearing to read 'Jeff Harvey'.

Jeff Harvey- EVP of Operations